

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/055,266	01/22/2002	Ki-won Choi	9898-208	6747
7590 02/13/2004			EXAMINER	
MARGER JOHNSON & McCOLLOM, P.C.			VU, QUANG D	
1030 S.W. Morr Portland, OR			ART UNIT	PAPER NUMBER
i ornand, OK	77203		2811	
		·	DATE MAIL ED: 02/13/200	4

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
	10/055,266	CHOI, KI-WON			
Office Action Summary	Examiner	Art Unit			
	Quang D Vu	2811			
The MAILING DATE of this communication Period for Reply	n appears on the cov r sheet wi	th the correspondence address			
A SHORTENED STATUTORY PERIOD FOR R THE MAILING DATE OF THIS COMMUNICATION - Extensions of time may be available under the provisions of 37 CI after SIX (6) MONTHS from the mailing date of this communication - If the period for reply specified above is less than thirty (30) days, If NO period for reply is specified above, the maximum statutory period is reply within the set or extended period for reply will, by any reply received by the Office later than three months after the earned patent term adjustment. See 37 CFR 1.704(b).	ON. FR 1.136(a). In no event, however, may a rown. a reply within the statutory minimum of thirt eriod will apply and will expire SIX (6) MON statute, cause the application to become AB	eply be timely filed y (30) days will be considered timely. THS from the mailing date of this communication. ANDONED (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on	12 December 2003.				
	This action is non-final.				
3) Since this application is in condition for all closed in accordance with the practice unc	· · · · · · · · · · · · · · · · · · ·	• •			
Disposition of Claims					
4)	ndrawn from consideration.				
Application Papers					
9)☐ The specification is objected to by the Exa	miner.				
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.					
Applicant may not request that any objection to					
Replacement drawing sheet(s) including the control of the control	•				
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for for a) All b) Some * c) None of: 1. Certified copies of the priority docur 2. Certified copies of the priority docur 3. Copies of the certified copies of the application from the International But * See the attached detailed Office action for a	ments have been received. ments have been received in A priority documents have been ureau (PCT Rule 17.2(a)).	oplication No received in this National Stage			
Attachment(s)					
1) Notice of References Cited (PTO-892)		ummary (PTO-413)			
2) Notice of Draftsperson's Patent Drawing Review (PTO-948	·)/Mail Date formal Patent Application (PTO-152)			
 Information Disclosure Statement(s) (PTO-1449 or PTO/S Paper No(s)/Mail Date 	6) Other:				

Art Unit: 2811

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 2. Claims 1, 3-4, 6-10, 13, 16, 26 and 27 are rejected under 35 U.S.C. 102(e) as being anticipated by US Patent No. 6,448,664 to Tay et al.

Regarding claim 1, Tay et al. (figures 9A-B) teach a semiconductor package comprising: a substrate (72) including a redundant bond finger (76), an added bond finger (a pad formed along the first inner rectangle) connected to a redundant solder ball (80);

a semiconductor chip (92) having an added bond pad (106) attached to the substrate (72); a normal wire bonding unit coupled between the added bond pad (106) and the redundant bond finger (76).

an added wire bonding unit (a line connecting [76] and the added bond finger) coupled between the redundant bond finger (76) and the added bond finger (a pad formed along the first inner rectangle).

wherein the added bond pad (106) is electrically connected to the redundant solder ball (80) via the redundant bond finger (76) and the added bond finger (a pad formed along the first inner rectangle).

Art Unit: 2811

Regarding claim 3, Tay et al. inherently teaches a solder ball connected to the redundant solder ball pad (80).

Regarding claim 4, Tay et al. teach the substrate (72) is a single layer substrate. It is inherent to have printed circuit patterns because the printed circuit patterns are used to connect the chip and the solder balls.

Regarding claim 6, it is inherent that a solder mask is not formed on the added bond finger because Tay et al. never discloses a solder mask.

Regarding claim 7, Tay et al. teach the added wire bonding unit (a line connecting [76] and the added bond finger) is formed over the substrate (72).

Regarding claim 8, Tay et al. teach the added wire bonding unit (a line connecting [76] and the added bond finger) is formed on an outer region of the substrate (72) on which the semiconductor chip (92) is mounted.

Regarding claim 9, Tay et al. teach the added wire bonding unit (a line connecting [76] and the added bond finger) is one unit.

Regarding claim 10, Tay et al. teach the semiconductor chip (92) is attached to the substrate (72) using an adhesive (90).

Regarding claim 13, Tay et al. (figures 9A-B) teach a semiconductor package comprising: a substrate (72) including a first printed circuit pattern (a printed circuit pattern is formed between the redundant bond finger [76] and the added bond finger (a pad formed along the first inner rectangle)) connected to a redundant bond finger (76) and a second printed circuit pattern (a printed circuit pattern is formed between the added bond finger and the solder ball [80] along the edge of the substrate) connected to a redundant solder ball (80);

Art Unit: 2811

a semiconductor chip (92) attached to the substrate (72); and

an added wire bonding unit (a line connecting [76] and the added bond finger) coupled between the first printed circuit pattern (a printed circuit pattern is formed between the redundant bond finger [76] and the added bond finger) to the second printed circuit pattern (a printed circuit pattern formed between the added bond finger and the solder ball [80] along the edge of the substrate) to electrically connect the redundant bond finger (76) to the redundant solder ball (80).

Regarding claim 16, Tay et al. inherently teach the first printed circuit pattern (a printed circuit pattern is formed between the redundant bond finger [76] and the added bond finger) and a second printed circuit pattern (a printed circuit pattern formed between the added bond finger and the solder ball [80] along the edge of the substrate) each have a width that enables wire bonding to be performed thereon.

Regarding claim 26, Tay et al. (figures 9A-B) teach a semiconductor package comprising: a semiconductor chip (92) having an added bond pad (106);

a substrate (72) having a redundant bond finger (76) and an added bond finger (a pad formed along the first inner rectangle) connected to a redundant solder ball (80);

a normal wire bonding unit coupled between the added bond pad (106) and the redundant bond finger (76); and

an added wire bonding unit (a line connecting [76] and the added bond finger) coupled between the redundant bond finger (76) and the added bond finger (a pad formed along the first inner rectangle) such that the added bond pad (106) is electrically connected to the redundant solder ball (80) via the redundant bond finger (76) and the added bond finger (a pad formed along the first inner rectangle).

Application/Control Number: 10/055,266 Page 5

Art Unit: 2811

Regarding claim 27, Tay et al. (figures 9A-B) teach the added bond finger (a pad formed along the first inner rectangle) is not directly connected to the added bond pad (106).

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 2, 5, 12, 14 and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over US Patent No. 6,448,664 to Tay et al. in view of Admitted Prior Art.

Regarding claim 2, Tay et al. differ from the claimed invention by not showing an encapsulant for encapsulating the semiconductor chip, the normal and added wire bonding units. However, Admitted Prior Art (figures 1-2) teaches an encapsulant (7). It would have been obvious to one having ordinary skill in the art at the time the invention was made to incorporate an encapsulant of Admitted Prior Art into the device of Tay et al. because it protects device from the external environment. The combined device shows that an encapsulant for encapsulating the semiconductor chip, the normal and added wire bonding units.

Regarding claim 5, Tay et al. differ from the claimed invention by not showing the substrate is a double layer substrate or a multi layer substrate. It would have been obvious to one having ordinary skill in the art at the time the invention was made for the substrate is a double layer substrate or a multi-layer substrate because it depends on the size of the package.

Art Unit: 2811

Regarding claim 12, Tay et al. differ from the claimed invention by not showing the added bond finger has the same pad shape as that of the redundant bond finger. It would have been obvious to one having ordinary skill in the art at the time the invention was made for the added bond finger has the same pad shape as that of the redundant bond finger because it depends on the size of the substrate.

Regarding claim 14, Tay et al. differ from the claimed invention by not showing an encapsulant for encapsulating the semiconductor chip and the added wire bonding units.

However, Admitted Prior Art (figures 1-2) teaches an encapsulant (7). It would have been obvious to one having ordinary skill in the art at the time the invention was made to incorporate an encapsulant of Admitted Prior Art into the device of Tay et al. because it protects device from the external environment. The combined device shows that an encapsulant for encapsulating the semiconductor chip and the added wire bonding units.

Regarding claim 15, the combined device inherently teaches a solder ball connected to the redundant solder ball pad (80).

Response to Arguments

Applicant's arguments filed 12/12/03 have been fully considered but they are not persuasive.

It is argued, in page 7 of the remarks, that Tay et al. do not teach an added wire bonding unit coupled between the redundant bond finger and the added bond finger, wherein the added bond pad is electrically connected to the redundant solder ball pad via the redundant bond finger and the added bond finger. This argument is not persuasive because Tay et al. (figures 9A-B)

Page 7

Application/Control Number: 10/055,266

Art Unit: 2811

teach a wire bonding unit (a line connected between bond pad [76] and a pad formed along the first inner rectangle) coupled between the bond pad (76) and a pad formed along the first inner rectangle, wherein the die bond pad (106) is electrically connected to the solder ball (80) via the bond pad (76) and a pad formed along the first inner rectangle. Therefore, a wire bonding unit, die bond pad (106), solder ball (80), bond pad (76) and a pad formed along the first inner rectangle now read on an added wire bonding, the added bond pad, redundant solder ball, redundant bond finger, and the added bond finger, respectively.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Quang D Vu whose telephone number is 571-272-1667. The examiner can normally be reached on Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eddie Lee can be reached on 571-272-1732. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

SUPERVISORY PATENT EXAMINER

Application/Control Number: 10/055,266 Page 8

Art Unit: 2811

qv February 9, 2004